

Table of Contents

Company Information

Introduction	1
Business Locations	2

General Information

Decimal and Metric Equivalents	3
Temper Designation Systems	4
Subdivision of "T" Temper-Non-Heat-Treatable Alloys	5

Tolerances	6 -15
Flat Bar	16-21
Square Bar	22
Round Bar	23, 24
Hexagon Bar	25
Angles - Square Corners	26
Angles - Rounded Corners	27,28
Channels - Sharp Corners	29
Channels - Rounded Corners	30
Channels - American standard	31
Wide Flange Beams	32
Tees - Sharp Corners	32
Canadian Tees - Rounded	32
Tube - Sharp Corners	33,34
Tube - Rounded Corners	35,36
Tube - Structural	37-39
Pipe	40



Company Information

Peng Cheng Aluminum Enterprise Inc. USA

Introduction

Peng Cheng Aluminum (PCA) is one of the largest and leading sources of aluminum extrusions from China. With its 260,000 square-foot distribution center in Southern California and upcoming facilities in other regions throughout the US, PCA offers quality extrusions and value-added services at competitive prices.

In addition to the multitude of standard shapes we also provide custom shapes from 1/8" to 12" in circle size, we also offer a variety of finishes such as anodizing in clear and in colors, bright dip, polishing, wet paint, powder coatings with wood grain finishes, PVDF and electrophoretic coatings, thermal-break extrusions and fabrication.

The items shown in this catalog are available or currently in stock in our local warehouses.



Company Information

Business Locations

To address your business needs, you may contact either our office headquarters located in Walnut, California, or our sales representative.

PCA Headquarters

19605 E. Walnut Drive North
Walnut, CA 91789
Tel: (909) 598-7933
Fax: (909) 598-4799
Toll Free: 1-888-371-1717
E-MAIL: info@pcaus.com

To contact PCA by email, please direct your inquiries to the appropriate addresses listed below.

Sales: sales@pcaus.com

Marketing: marketing@pcaus.com

Accounting: accounting@pcaus.com

Human Resources: hr@pcaus.com

General information: info@pcaus.com



General Information

Decimal and Metric Equivalents

Parts of Inch

Fraction Inches	Decimal	Centimeters	Millimeters	Fraction Inches	Decimal	Centimeters	Millimeters
1/64	.015625	.0396	0.39687	33/64	.515625	1.310	13.09671
1/32	.03125	.0792	0.79374	17/32	.53125	1.350	13.49362
3/64	.046875	.1191	1.19061	35/64	.546875	1.389	13.89045
1/16	.0625	.1588	1.58748	9/16	.5625	1.429	14.28737
5/64	.078125	.1984	1.98435	37/64	.578125	1.468	14.68419
3/32	.09375	.2383	2.38123	19/32	.59375	1.508	15.08111
7/64	.109375	.2779	2.77809	39/64	.609375	1.548	15.47793
1/8	.125	.3175	3.17497	5/8	.625	1.588	15.87485
9/64	.140625	.3571	3.57183	41/64	.640625	1.627	16.27167
5/32	.15625	.3970	3.96871	21/32	.65625	1.667	16.66859
11/64	.171875	.4366	4.36557	43/64	.671875	1.707	17.06541
3/16	.1875	.4763	4.76245	11/16	.6875	1.746	17.46234
13/64	.203125	.5159	5.15931	45/64	.703125	1.786	17.85915
7/32	.21875	.5558	5.55620	23/32	.71875	1.826	18.25608
15/64	.234375	.5954	5.95305	47/64	.734375	1.865	18.65289
1/4	.25	.6350	6.34994	3/4	.750	1.905	19.04982
17/64	.265625	.6746	6.74679	49/64	.765625	1.945	19.44663
9/32	.28125	.7145	7.14368	25/32	.78125	1.984	19.84365
19/64	.296875	.7541	7.54053	51/64	.796875	2.024	20.24037
5/16	.3125	.7938	7.93743	13/16	.8125	2.064	20.63731
21/64	.328125	.8334	8.33427	53/64	.828125	2.103	21.03411
11/32	.34375	.8733	8.73117	27/32	.84375	2.143	21.43105
23/64	.359375	.9129	9.12801	55/64	.859375	2.183	21.82785
3/8	.375	.9525	9.52491	7/8	.875	2.223	22.22479
25/64	.390625	.9921	9.92175	57/64	.890625	2.262	22.62159
13/32	.40625	1.032	10.31865	29/32	.90625	2.302	23.01853
27/64	.421895	1.072	10.71549	59/64	.921875	2.342	23.41533
7/16	.4375	1.111	11.11240	15/16	.9375	2.381	23.81228
29/64	.453125	1.151	11.50923	61/64	.953125	2.421	24.20907
15/32	.46875	1.191	11.90614	31/32	.96875	2.461	24.60602
31/64	.484375	1.230	12.30297	63/64	.984375	2.500	25.00281
1/2	.5	1.270	12.69988	1	1.00000	2.540	25.39977

